


ANALOG QUARTZ CLOCKS FOR INDOOR USE  
 RELOJES ANALÓGICO DE INTERIOR CON MOVIMIENTO AL CUARZO  
 GOL05 -10



Equipped with independent high quality quartz movement and powered by a 1,5 V battery that guarantees the maintenance free functioning for over a year. The independent movement allows an extremely easy installation without the need of an electrical line. Excellent legibility (viewing distance up to 50 m – 164 ft). The clock is available with single or double face. Wall ceiling or flag mounting system available.

Dotado de movimiento independiente al cuarzo de alta calidad y alimentado por pila 1,5 V con garantía de funcionamiento superior a un año, no requiere mantenimiento. El movimiento independiente permite instalarlo fácilmente sin necesidad de tender líneas eléctricas. Óptima legibilidad a gran distancia (hasta 50 m). Puede entregarse con una o dos caras, predispuesto para fijarlo en la pared o colgarlo en banderola o del techo.

TECHNICAL CHARACTERISTICS






- Diameter 30 cm (11,81 in)/40 cm (15,75 in), injected ABS
- Colour: white (black on request)
- Cover manufactured from unbreakable transparent polystyrene
- Frequency of quartz movement 4,194 Mhz
- Accuracy +/- 0.2 s/day + 20° C (68° F)
- Battery power: 1,5 V
- Duration: minimum 1 year

CARACTERÍSTICAS TÉCNICAS

- ABS inyectado; diámetro 30 cm (GOL05), 40 cm (GOL10)
- Color blanco o, a pedido, negro
- Carcasa protectora abovedada en poliestireno transparente irrompible
- Movimiento al cuarzo frecuencia 4,194 Mhz
- Precisión de marcha +/- 0.2 s/24h a + 20 °C
- Tensión de la pila 1,5 Volt
- Autonomía de marcha: mínimo 1 año

CODE	DESCRIPTION
GOL0501001	BASE FOR DIAM.30 CM IN ABS
GOL0501002	PLEXIGLAS COVER D.30 CM
GOL0504001	QUARTZ CLOCK 30 CM ARABIC NUMERALS BATTERY-POWERED
GOL0504002	QUARTZ CLOCK 30 CM DASHES NUMERALS BATTERY-POWERED
GOL0504003	QUARTZ CLOCK 30 CM ARABIC NUMERALS 220 VAC
GOL0504004	QUARTZ CLOCK 30 CM DASHES NUMERALS 220 VAC
GOL0504007	QUARTZ CLOCK 30 CM ARABIC NUMERALS DCF SYNC BATTERY-POWERED
GOL0504008	QUARTZ CLOCK 30 CM DASHES NUMERALS DCF SYNC BATTERY-POWERED
GOL0504009	QUARTZ CLOCK 30 CM ARABIC NUMERALS 220 VAC DCF SYNC
GOL0504010	QUARTZ CLOCK 30 CM DASHES NUMERALS 220 VAC DCF SYNC
GOL1001001	BASE FOR DIAM. 40 CM IN ABS
GOL1001002	PLEXIGLAS COVER D.40 CM
GOL1004001	QUARTZ CLOCK 40 CM ARABIC NUMERALS BATTERY-POWERED
GOL1004002	QUARTZ CLOCK 40 CM DASHES NUMERALS BATTERY-POWERED
GOL1004003	QUARTZ CLOCK 40 CM ARABIC NUMERALS 220 VAC
GOL1004004	QUARTZ CLOCK 40 CM DASHES NUMERALS 220 VAC

ANALOG SLAVE CLOCKS FOR INDOOR USE  
 RELOJES ANALÓGICO DE INTERIOR CON MOVIMIENTO RECEPTOR  
 GOL05-10-15



Equipped with receiver movement, these clocks are robustly constructed, extremely reliable and maintenance free. The receiver movement allows an unlimited number of clocks to be fitted, all accurately synchronized, connected to a master clock with polarized impulses 12-24 VDC. Excellent legibility (viewing distance up to 50 m, 164 ft). The clock is available with single or double face. Wall ceiling or flag mounting system available.

Dotado de movimiento receptor de construcción robusta y extremadamente confiable, no requiere mantenimiento. El movimiento receptor permite que un número ilimitado de relojes indiquen la hora con perfecto sincronismo, conectándolos a un reloj patrón de impulsos polarizados 12-24 VCC. Óptima legibilidad a gran distancia (hasta 50 m). Se puede entregar con una o dos caras predispuesto para fijarlo en la pared o colgarlo en banderola o del techo.

TECHNICAL CHARACTERISTICS

- Diameter 30 cm (11,81 in), 40 cm (15,75 in), 55 cm (21,65 in)
- Injected ABS, painted sheet metal
- Colour: white (black on request)
- Protective cover in unbreakable clear polystyrene
- Receiver movement: Power 12-24 VDC +/- 25%
- Functioning: minute inversion of polarity
- Consumption: 12mA -12 VDC, 6 mA 24 VDC
- Duration of impulse: 0.5 s


CARACTERÍSTICAS TÉCNICAS

- ABS inyectado, plancha barnizada,
- Diámetro 30 cm, 40 cm, 55 cm
- Color blanco o, a pedido, negro
- Carcasa protectora abovedada en poliestireno transparente irrompible
- Movimiento receptor: alimentación 12-24 VCC +/- 25%
- Funcionamiento: minuto inversión de polaridad
- Consumo: 12mA -12 VCC, 6 mA 24 VCC
- Duración impulso: 0,5 s

CODE	DESCRIPTION
GOL0504011	SLAVE CLOCK 30 CM ARABIC NUMERALS 12 VDC
GOL0504012	SLAVE CLOCK 30 CM DASHES NUMERALS 12 VDC
GOL0504013	SLAVE CLOCK 30 CM ARABIC NUMERALS 24 VDC
GOL0504014	SLAVE CLOCK 30 CM DASHES NUMERALS 24 VDC
GOL1004005	SLAVE CLOCK 40 CM ARABIC NUMERALS 12 VDC
GOL1004006	SLAVE CLOCK 40 CM DASHES NUMERALS 12 VDC
GOL1004007	SLAVE CLOCK 40 CM ARABIC NUMERALS 24 VDC
GOL1004008	SLAVE CLOCK 40 CM DASHES NUMERALS 24 VDC
GOL1504001	SLAVE CLOCK 55 CM ARABIC NUMERALS 12 VDC
GOL1504002	SLAVE CLOCK 55 CM ARABIC NUMERALS 24 VDC

## ANALOG CLOCK FOR OUTDOOR USE RELOJ ANALÓGICO DE EXTERIOR

TAM05-10



The ECAT analog clock for outdoor use is an elegant solution for signalling time in the city and as an element of street decoration, advertising panel in highways, railway stations, airports etc.

Available in modern or antique style, single or double clock face, Cityclock can be purchased and decorated with a cast iron column. Different models are available to blend in with any type of architecture. Visit our website and access the "Configurator" section to create your own Cityclock model.

El reloj analógico para exteriores ECAT es una elegante solución para señalar la hora en la ciudad, como elemento de decoración urbana en estaciones, aeropuertos o en combinación con paneles publicitarios.

Disponibile en estilo antiguo o moderno, con una o dos caras, puede estar adornado con frisos y adquirirse combinado con una columna de hierro fundido. Los diferentes diseños que proponemos se combinan perfectamente con cualquier estilo arquitectónico.

Visite nuestro sitio web y acceda a la sección "Configurador" para crear una primera visión de su modelo de Cityclock.

### TECHNICAL CHARACTERISTICS

- Case in oven varnished galvanized steel and aluminium with epoxy resins that are resistant to the atmosphere agents
- Cover in unbreakable Plexiglas®
- Power supply: lithium battery, duration 9 years or 220 VAC
- Absolute accuracy: 1 thousandth of a second/year (with GPS or DCF77 signal)
- Weight 13 kg ca (28 lb)

### CARACTERÍSTICAS TÉCNICAS


- Caja de aluminio y acero galvanizado barnizada al horno con resinas epoxídicas inatacables por agentes atmosféricos
- Cobertura de protección de Plexiglas® infrangible
- Alimentación: pilas de litio, duración hasta 9 años, o 220 VCA
- Precisión absoluta: 1 milésimo de segundo/año (con recepción señal GPS o DCF77)
- Peso versión base unos 13 kg

### RELATED PRODUCTS

- Time base: quartz with synchronized device via GPS or DCF-77 signal (see master clock CIT05-09 or CLK35, p. 18)
- Removable GPS antenna to optimize signal reception (see RDE10)
- High sensitivity adjustable DCF77 antenna for signal reception up to 3000 km from Mainflingen (see RDE05)
- Movement of the clock hands with polarized minutes

### PRODUCTOS EN COMBINACIÓN

- Base tiempo: al cuarzo con radiosincronización horaria señal GPS o DCF77 (véase reloj patrón CIT05-09 o CLK35)
- Antena GPS removible para optimizar la recepción de la señal (RDE10)
- Antena DCF77 orientable de alta sensibilidad para una recepción de la señal hasta 3000 km de Mainflingen (véase RDE05)
- Movimiento de agujas con avance por minuto polarizado



ANALOG CLOCK FOR OUTDOOR USE  
RELOJ ANALÓGICO DE EXTERIOR

TAM05-10



CODE  
F1



CODE  
F2




CODE  
F3



CODE  
F4



CODE  
F5



CODE  
Q1



CODE  
Q2



CODE  
Q3



CODE  
L1



CODE  
L2



CODE  
L3

ANALOG CLOCK FOR OUTDOOR USE /  
RELOJ ANALÓGICO DE EXTERIOR

TAM05-10



POLE P1 - TAM8504030




POLE P2 - TAM8504031



ANALOG CLOCK FOR OUTDOOR USE /  
RELOJ ANALÓGICO DE EXTERIOR

TAM05-10



TAM1004013 - DOUBLE FACE W/O MASTER CLOCK F1 Q2 L1  
TAM1004013 - DOBLE CARA SIN PATRÓN F1 Q2 L1

ANALOG CLOCK FOR OUTDOOR USE /  
RELOJ ANALÓGICO DE EXTERIOR

TAM05-10

CODE	DESCRIPTION
TAM0504001	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L1
TAM0504002	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L2
TAM0504003	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L3
TAM0504004	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L1
TAM0504005	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L2
TAM0504006	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L3
TAM0504007	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L1
TAM0504008	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L2
TAM0504009	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L3
TAM0504010	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L1
TAM0504011	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L2
TAM0504012	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L3
TAM0504013	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L1
TAM0504014	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L2
TAM0504015	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L3
TAM0504016	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L1
TAM0504017	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L2
TAM0504018	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L3
TAM0504019	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L1
TAM0504020	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L2
TAM0504021	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L3
TAM0504022	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L1
TAM0504023	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L2
TAM0504024	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L3
TAM0504025	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L1
TAM0504026	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L2
TAM0504027	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L3
TAM0504028	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L1
TAM0504029	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L2
TAM0504030	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L3
TAM0504031	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L1
TAM0504032	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L2
TAM0504033	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L3
TAM0504034	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L1
TAM0504035	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L2
TAM0504036	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L3
TAM0504037	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L1
TAM0504038	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L2
TAM0504039	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L3

# ANALOG CLOCK FOR OUTDOOR USE / RELOJ ANALÓGICO DE EXTERIOR

## TAM05-10

TAM0504040	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L1
TAM0504041	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L2
TAM0504042	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L3
TAM0504043	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L1
TAM0504044	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L2
TAM0504045	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L3
TAM0504046	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L1
TAM0504047	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L2
TAM0504048	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L3
TAM0504049	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L1
TAM0504050	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L2
TAM0504051	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L3
TAM0504052	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L1
TAM0504053	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L2
TAM0504054	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L3
TAM1004001	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L1
TAM1004002	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L2
TAM1004003	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L3
TAM1004004	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L1
TAM1004005	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L2
TAM1004006	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L3
TAM1004007	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L1
TAM1004008	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L2
TAM1004009	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L3
TAM1004010	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L1
TAM1004011	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L2
TAM1004012	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L3
TAM1004013	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L1
TAM1004014	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L2
TAM1004015	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L3
TAM1004016	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L1
TAM1004017	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L2
TAM1004018	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L3
TAM1004019	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L1
TAM1004020	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L2
TAM1004021	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L3
TAM1004022	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L1
TAM1004023	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L2
TAM1004024	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L3
TAM1004025	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L1



# ANALOG CLOCK FOR OUTDOOR USE / RELOJ ANALÓGICO DE EXTERIOR

## TAM05-10


TAM1004026	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L2
TAM1004027	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L3
TAM1004028	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L1
TAM1004029	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L2
TAM1004030	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L3
TAM1004031	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L1
TAM1004032	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L2
TAM1004033	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L3
TAM1004034	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L1
TAM1004035	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L2
TAM1004036	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L3
TAM1004037	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L1
TAM1004038	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L2
TAM1004039	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L3
TAM1004040	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L1
TAM1004041	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L2
TAM1004042	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L3
TAM1004043	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L1
TAM1004044	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L2
TAM1004045	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L3
TAM1004046	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L1
TAM1004047	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L2
TAM1004048	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L3
TAM1004049	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L1
TAM1004050	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L2
TAM1004051	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L3
TAM1004052	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L1
TAM1004053	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L2
TAM1004054	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L3

Easy legibility is a feature of this pace clock, complete with Plexiglas cover.  
Equipped with four clock hands of different colours to note the start time.

Reloj cuenta segundos de gran legibilidad, con protección transparente de Plexiglás.  
Dotado de cuatro agujas de colores diferentes para indicar las partidas.



PSC05



TECHNICAL CHARACTERISTICS



- Round version, diameter 55 cm (21,65 in)
- Clock face in iron oven varnished
- Protection glass in unbreakable Plexiglas
- 24 VAC movement (transformer not included)

CARACTERÍSTICAS TÉCNICAS

- Versión redonda, diámetro 55 cm
- Esfera de hierro barnizado al horno
- Vidrio de protección de Plexiglás infrangible
- Movimiento 24 VCA (transformador no incluido)



PSC10



TECHNICAL CHARACTERISTICS

- Square version 95 cm (37,41 in)
- Dial in acrylic material
- Unbreakable Plexiglas cover
- 24 VAC movement (transformer not included)

CARACTERÍSTICAS TÉCNICAS

- Versión cuadrada, lado 95 cm
- Esfera de material acrílico
- Vidrio de protección de Plexiglas infrangible
- Movimiento 24 VCA (transformador no incluido)



CODE	DESCRIPTION
PSC0504001	SECOND COUNTER CLOCK FOR SWIMMING POOL PISCINA55
PSC1004001	SECOND COUNTER CLOCK FOR SWIMMING POOL PISCINA95

## TABLE OF PRODUCT CODES

CODE	DESCRIPTION
GOL0501001	PLEXIGLAS COVER D.30 CM
GOL0501002	ABS CLOCK BASE GOLD D. 30 NEUTRAL SILK SCREEN ARABIC NUMBERS
GOL0504001	QUARTZ CLOCK 30 CM ARABIC NUMERALS BATTERY-POWERED
GOL0504002	QUARTZ CLOCK 30 CM DASHES NUMERALS BATTERY-POWERED
GOL0504003	QUARTZ CLOCK 30 CM ARABIC NUMERALS 220 VAC
GOL0504004	QUARTZ CLOCK 30 CM DASHES NUMERALS 220 VAC
GOL0504007	QUARTZ CLOCK 30 CM ARABIC NUMERALS DCF SYNC BATTERY-POWERED
GOL0504008	QUARTZ CLOCK 30 CM DASHES NUMERALS DCF SYNC BATTERY-POWERED
GOL0504009	QUARTZ CLOCK 30 CM ARABIC NUMERALS 220 VAC DCF SYNC
GOL0504010	QUARTZ CLOCK 30 CM DASHES NUMERALS 220 VAC DCF SYNC
GOL0504011	SLAVE CLOCK 30 CM ARABIC NUMERALS 12 VDC
GOL0504012	SLAVE CLOCK 30 CM DASHES NUMERALS 12 VDC
GOL0504013	SLAVE CLOCK 30 CM ARABIC NUMERALS 24 VDC
GOL0504014	SLAVE CLOCK 30 CM DASHES NUMERALS 24 VDC
GOL1001001	PLEXIGLAS COVER D.40 CM
GOL1001002	ABS CLOCK BASE GOLD D.40 NEUTRAL SILK SCREEN ARABIC NUMBERS
GOL1004001	QUARTZ CLOCK 40 CM ARABIC NUMERALS BATTERY-POWERED
GOL1004002	QUARTZ CLOCK 40 CM DASHES NUMERALS BATTERY-POWERED
GOL1004003	QUARTZ CLOCK 40 CM ARABIC NUMERALS 220 VAC
GOL1004004	QUARTZ CLOCK 40 CM DASHES NUMERALS 220 VAC
GOL1004005	SLAVE CLOCK 40 CM ARABIC NUMERALS 12 VDC
GOL1004006	SLAVE CLOCK 40 CM DASHES NUMERALS 12 VDC
GOL1004007	SLAVE CLOCK 40 CM ARABIC NUMERALS 24 VDC
GOL1004008	SLAVE CLOCK 40 CM DASHES NUMERALS 24 VDC
GOL1504001	SLAVE CLOCK 55 CM ARABIC NUMERALS 12 VDC
GOL1504002	SLAVE CLOCK 55 CM ARABIC NUMERALS 24 VDC
TAM0504001	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L1
TAM0504002	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L2
TAM0504003	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L3
TAM0504004	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L1
TAM0504005	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L2
TAM0504006	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L3
TAM0504007	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L1
TAM0504008	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L2
TAM0504009	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L3
TAM0504010	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L1
TAM0504011	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L2
TAM0504012	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L3
TAM0504013	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L1
TAM0504014	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L2
TAM0504015	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L3
TAM0504016	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L1
TAM0504017	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L2
TAM0504018	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L3
TAM0504019	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L1
TAM0504020	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L2
TAM0504021	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L3

## TABLE OF PRODUCT CODES

TAM0504022	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L1
TAM0504023	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L2
TAM0504024	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L3
TAM0504025	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L1
TAM0504026	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L2
TAM0504027	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L3
TAM0504028	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L1
TAM0504029	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L2
TAM0504030	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L3
TAM0504031	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L1
TAM0504032	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L2
TAM0504033	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L3
TAM0504034	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L1
TAM0504035	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L2
TAM0504036	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L3
TAM0504037	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L1
TAM0504038	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L2
TAM0504039	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L3
TAM0504040	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L1
TAM0504041	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L2
TAM0504042	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L3
TAM0504043	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L1
TAM0504044	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L2
TAM0504045	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L3
TAM0504046	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L1
TAM0504047	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L2
TAM0504048	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L3
TAM0504049	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L1
TAM0504050	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L2
TAM0504051	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L3
TAM0504052	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L1
TAM0504053	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L2
TAM0504054	SINGLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L3
TAM1004001	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L1
TAM1004002	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L2
TAM1004003	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q1 L3
TAM1004004	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L1
TAM1004005	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L2
TAM1004006	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q2 L3
TAM1004007	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L1
TAM1004008	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L2
TAM1004009	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK Q3 L3
TAM1004010	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L1
TAM1004011	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L2
TAM1004012	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q1 L3
TAM1004013	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L1
TAM1004014	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L2
TAM1004015	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q2 L3



## TABLE OF PRODUCT CODES

TAM1004016	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L1
TAM1004017	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L2
TAM1004018	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F1 Q3 L3
TAM1004019	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L1
TAM1004020	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L2
TAM1004021	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q1 L3
TAM1004022	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L1
TAM1004023	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L2
TAM1004024	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q2 L3
TAM1004025	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L1
TAM1004026	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L2
TAM1004027	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F2 Q3 L3
TAM1004028	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L1
TAM1004029	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L2
TAM1004030	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q1 L3
TAM1004031	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L1
TAM1004032	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L2
TAM1004033	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q2 L3
TAM1004034	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L1
TAM1004035	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L2
TAM1004036	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F3 Q3 L3
TAM1004037	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L1
TAM1004038	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L2
TAM1004039	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q1 L3
TAM1004040	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L1
TAM1004041	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L2
TAM1004042	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q2 L3
TAM1004043	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L1
TAM1004044	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L2
TAM1004045	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F4 Q3 L3
TAM1004046	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L1
TAM1004047	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L2
TAM1004048	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q1 L3
TAM1004049	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L1
TAM1004050	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L2
TAM1004051	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q2 L3
TAM1004052	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L1
TAM1004053	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L2
TAM1004054	DOUBLE FACE ENCASED CLOCK W/O MASTER CLOCK F5 Q3 L3
PSC0504001	SECOND COUNTER CLOCK FOR SWIMMING POOL PISCINA55
PSC1004001	SECOND COUNTER CLOCK FOR SWIMMING POOL PISCINA95
GOL8504001	FLAG STYLE BRACKET FOR DIAMETER 30 CM
GOL8504002	CEILING STYLE BRACKET FOR DIAMETER 30 CM
GOL8504003	FLAG STYLE BRACKET FOR DIAMETER 40 CM
GOL8504004	CEILING STYLE BRACKET FOR DIAMETER 40 CM
GOL8504005	FLAG STYLE BRACKET FOR DIAMETER 55 CM
GOL8504006	CEILING STYLE BRACKET FOR DIAMETER 55 CM
GOL9004003	POWER SUPPLY 220V FOR QUARTZ MOVEMENT

ACCESSORIES



## TABLE OF PRODUCT CODES

### ACCESSORIES

TAM8004001	LED ILLUMINATION FOR D. 60 DOUBLE FACE CLOCK
TAM8004002	LED ILLUMINATION FOR D. 60 SINGLE FACE CLOCK
TAM8504010	FIXING BRACKET D. 60 POLE MOUNTING
TAM8504011	FIXING BRACKET D. 60 FLAG STYLE
TAM8504012	FIXING BRACKET D. 60 HORIZONTAL MOUNTING
TAM8504013	FIXING BRACKET D. 60 CEILING STYLE
TAM8504030	OLD STYLE POLE MOD P1
TAM8504031	OLD STYLE POLE MOD P2

